INDEX TO VOLUME 58

New scientific names and combinations are printed in bold face type

Acer saccherinum, 93

Achillea lanulosa, 247; Millifolium, 247

Acorus calamus, 322

Additional Evidence for Five as the Basic Chromosome Number of the Andropogoneae, 135

Additions and Extensions to the Flora of Manitoba, 321

Additions to the Flora of St. Paul Island, Nova Scotia, 245

Aegilops crassa, 44

Agastache anethiodora, 287; Foeniculum, 287

Agmenellum thermale, 118

Agropyron latiglume, 281; repens var. subulatum f. Vaillantianum, 246; sericeum, 148; trachycaulum var. novae-angliae, 246

Agrostis scabra, 246; tenuis, 246 Aira cristata, 94, 96; macrantha, 94; pubescens, 96; valesiana, 95

Alaska, A New Elymus from, 144 Algae Chiefly from New Brunswick, A Second List of Freshwater, 117

Allium stellatum, 282

Alnus erispa, 127, 131, 132, var. mollis, 127, 131; glutinosa, 127; rugosa, 127, 131, f. Emersoniana, 127, var. americana, 127, f. hypomalaca, 128, f. tomophylla, 128; serrulata, 128, f. noveboracensis, 128; var. subelliptica f. emarginata, 128, f. mollescens,

Alopecurus ciliatus, 96

Amblystegium compactum, 248 American Botany, Correa da Serra

American Botany, Humboldt and,

Amorpha microphylla, 287; nana,

Anabaena oscillarioides, 118; variabilis, 118

Anacystis dimidiata, 118; montana, 118, f. minor, 118; rupestris, 119; thermalis, 118, f. major, 118

Andromeda polifolia, 322

Andropogon Ischaemum, 44; praematurus, 326, 327, f. hirtivaginatus, 327; scoparius, 326

Andropogon praematurus, a Fungus-induced Monstrosity, 326

Andropogoneae, Additional Evidence for Five as the Basic Chromosome Number of the, 135

Androsace maxima, 45 Ankistrodesmus falcatus, 118

Aphanochaete repens, 118

Aplopappus spinulosus, 282

Arabis dentata, 292; holboellii var. collinsii, 323, 324; perstellata, 292, 293, 294, var. Shortii, 292; Shortii, 292, 294

Arabis perstellata, Growth Habits of, 292

Aralia nudicaulis, 310

Arenaria stricta, 318

Arethusa pendula, 34

Aristida basiraema, 318; oligantha,

Arkansas, Hedyotis rosea in, 331 Arkansas, Neviusia alabamensis in, 187

Artemisia caudata, 323, 324

Asa Gray and Andrew Jackson Downing, A Bibliographic Note,

Asarum virginicum, 40

Asclepias syriaca, 197, var. kansana, 197, 198

Asclepias syriaca var. kansana in New York State, 197

Aster leucanthemifolius, 281; macrophyllus, 310

Astragalus carnosus, 281, 287, 288, 289; crassicarpus, 281, 287

Athyrium Filix-femina, 40

Atrichum undulatum, 248

Aulacomnium palustre, 248, 323

Aulosira implexa, 118 Authorship and Nomenclature of Bur Clovers (Medicago) found wild in the United States, 1 Availability of Ingredients for

Plastic, 72

INDEX TO VOLUME 58

New scientific names and combinations are printed in bold face type

Acer saccherinum, 93

Achillea lanulosa, 247; Millifolium, 247

Acorus calamus, 322

Additional Evidence for Five as the Basic Chromosome Number of the Andropogoneae, 135

Additions and Extensions to the Flora of Manitoba, 321

Additions to the Flora of St. Paul Island, Nova Scotia, 245

Aegilops crassa, 44

Agastache anethiodora, 287; Foeniculum, 287

Agmenellum thermale, 118

Agropyron latiglume, 281; repens var. subulatum f. Vaillantianum, 246; sericeum, 148; trachycaulum var. novae-angliae, 246

Agrostis scabra, 246; tenuis, 246 Aira cristata, 94, 96; macrantha, 94; pubescens, 96; valesiana, 95

Alaska, A New Elymus from, 144 Algae Chiefly from New Brunswick, A Second List of Freshwater, 117

Allium stellatum, 282

Alnus erispa, 127, 131, 132, var. mollis, 127, 131; glutinosa, 127; rugosa, 127, 131, f. Emersoniana, 127, var. americana, 127, f. hypomalaca, 128, f. tomophylla, 128; serrulata, 128, f. noveboracensis, 128; var. subelliptica f. emarginata, 128, f. mollescens,

Alopecurus ciliatus, 96

Amblystegium compactum, 248 American Botany, Correa da Serra

American Botany, Humboldt and,

Amorpha microphylla, 287; nana,

Anabaena oscillarioides, 118; variabilis, 118

Anacystis dimidiata, 118; montana, 118, f. minor, 118; rupestris, 119; thermalis, 118, f. major, 118

Andromeda polifolia, 322

Andropogon Ischaemum, 44; praematurus, 326, 327, f. hirtivaginatus, 327; scoparius, 326

Andropogon praematurus, a Fungus-induced Monstrosity, 326

Andropogoneae, Additional Evidence for Five as the Basic Chromosome Number of the, 135

Androsace maxima, 45 Ankistrodesmus falcatus, 118

Aphanochaete repens, 118

Aplopappus spinulosus, 282

Arabis dentata, 292; holboellii var. collinsii, 323, 324; perstellata, 292, 293, 294, var. Shortii, 292; Shortii, 292, 294

Arabis perstellata, Growth Habits of, 292

Aralia nudicaulis, 310

Arenaria stricta, 318

Arethusa pendula, 34

Aristida basiraema, 318; oligantha,

Arkansas, Hedyotis rosea in, 331 Arkansas, Neviusia alabamensis in, 187

Artemisia caudata, 323, 324

Asa Gray and Andrew Jackson Downing, A Bibliographic Note,

Asarum virginicum, 40

Asclepias syriaca, 197, var. kansana, 197, 198

Asclepias syriaca var. kansana in New York State, 197

Aster leucanthemifolius, 281; macrophyllus, 310

Astragalus carnosus, 281, 287, 288, 289; crassicarpus, 281, 287

Athyrium Filix-femina, 40

Atrichum undulatum, 248

Aulacomnium palustre, 248, 323

Aulosira implexa, 118 Authorship and Nomenclature of Bur Clovers (Medicago) found wild in the United States, 1 Availability of Ingredients for

Plastic, 72

Barbilophozia barbata, 248

Bartonia decapetala, 21, 282, 285; paniculata var. sabulonensis, 247

Basiphyllaea angustifolia, 290

Batrachospermum moniliforme, 117 Bazzania trilobata, 248

Bean, R. C., Clarence Hinckley Knowlton, 157

Bean, R. C., Knowlton, C. H., and Hill, A. F., Eleventh Report of the Committee on Plant

Distribution, 125

Betula alba, 128; borealis, 128, 131, 132, 247; × caerulea, 128; caerulea-grandis, 128, 131; glandulosa, 128, 131, 132, 323; lenta, 128, 132, f. laciniata, 128; lutea, 128, 130, 247, var. macrolepis, 128, 131; minor, 128, 131, 132; nigra, 128, 133, 134; papyrifera, 52, 128, 130, 131, var. commutata, 128, 131, 247, var. cordifolia, 128, 130, 131, var. macrostachya, 128, 247, var. pensilis, 128, 131, × populifolia, 128; pendula, 128; populifolia, 128, 132, f. incisifolia, 128; pumila, 128, 133, var. renifolia, 247

Binomials of Helenium in Walter's Flora Caroliniana, The, 311

Blake, S. F., Froelichia gracilis in Maryland, 35; The Identity of Calyptocarpus blepharolepis, 275

Blasia pusilla, 248

Blepharostoma trichophyllum, 248 Boivin, B. and Cody, W. J., The Variations of Lilium canadense Linnaeus, 14

Botrychium dissectum, 274; obliquum, 274

Bouteloua curtipendula, 318

Brachythecium salebrosum, 248

Braun, E. L., Growth Habits of Arabis perstellata, 292; Variation in Polemonium reptans, 103

Braya alpina, 156

Broussonatia papyrifera, 129

Bryum pallens, 248 Bulbochaete minor, 118

Bur Clovers (Medicago) found wild in the United States, Authorship and Nomenclature of, 1 Cactus viviparus, 286

Calamagrostis canadensis, 52

Calla palustris, 322

Callirhoë digitata, 100, var. stipulata, 101, f. alba, 101; involucrata, 100, 102, var. involucrata, 101, var. lineariloba, 100, 101; lineariloba, 100

Callirhoë (Malvaceae), Some Chromosome Numbers in the Genus,

100

Calothrix parietina, 117, 118

Caltha palustris, 322

Calypogeia Neesiana, 248; Trichomanis, 248

Calyptocarpus blepharolepis, 275, 277, 278; tampicanus, 275, 278; vialis, 275, 277

Calyptocarpus blepharolepis, The Identity of, 275

Camassia esculenta, 287; Quamash, 287

Camptothecium nitens, 322

Canadian Lakehead, Rubus Chamaemorus in the, 327

Capsosiphon fulvescens, 118

Carex abdita, 322, 324; amblyorhyncha, 322; aquatilis, 52, 64; canescens var. subloliacea, 52; cephalantha, 246; chordorrhiza, 52, 59; cusickii, 279; × fulleri, 319, 320; heleonastes, 322; heteroneura, 279, 280; hymenocarpa, 68; illota, 280; kelloggii, 280; laeviconica, 318, 320; laevirostris, 65, 68; lasiocarpa var. americana, 322; leporinella, 279, 280; leptalea, 246, 322; leptopoda, 278; limnophila, 279, 280; limosa, 59, 322; magellanica, 52; meadii, 318; membranacea, 55, 56, 60; microptera, 279, 280; miliaris, 279; muhlenbergii, 318; neurophora, 280; normalis, 318; novae-angliae, 246; oligosperma, 247, 322; palleseens var. neogaea, 246; paludivagans, 53, 54, 56, 57, 58, 60, 63, 64, 65, 66, 68, 69; paupercula, 322; pensylvanica, 318, 320; physocarpa, 56, 68, 69, 279; praeceptorum, 279; rhynchophysa, 65, 66, 68;

rostrata, 51, 52, 53, 55, 56, 57, 58, 59, 60, 63, 64, 65, 66, 68, 69, 71, 322; torundata, 51, 52, 53, 55, 56, 57, 58, 59, 60, 64, 65, 66, 68, 69; salina, 246; saxatalis, 56, 68, 69; sprengelii, 318; stenoptila, 280; stipata, 279; substricta, 280; tenuiflora, 52; tolmiei, 280

Carex by Hybridization, The Ecology of the Natural Origin of a Species of, 51

Carex, Notes on a New Hybrid, 318

Carpinus caroliniana var. virginiana, 128, 132

Carphephorus corymbosus, 276 Carya cordiformis, 127, 133; glabra, 127, 132; ovalis, 127, 132, var. hirsuta, 127, var. obcordata, 127, var. obovalis, 127; ovata, 127, 132, var. Nuttallii, 127, var. pubescens, 127; tomentosa, 127, 133

Case, F. W. Jr., Some Michigan Records for Sarracenia purpurea forma heterophylla, 203

Castanea dentata, 128, 132; pumila, 128, 130

Celarier, R. P., Additional Evidence for Five as the Basic Chromosome Number of the Andropogoneae, 135

Celtis occidentalis, 129, 133, var. canina, 129, 133, var. pumila, 129, 133

Cenchrus barbatus, 44 Cephalozia bicuspidata, 248; connivens, 248; leucantha, 248 Cephalozialla hempeana, 248

Cephaloziella hempeana, 248 Cerastium arvense var. viscidulum, 247

Ceratodon purpureus, 248 Ceratophyllum demersum, 77 Chaetophora incrassata, 118

Chamaedaphne calyculata var. angustifolia, 52

Chamaesiphon polonicus, 119
Channell, R. B., Reappraisal of
Two Plumose Rhynchosporas of
the Southeastern United States,
335

Chara globularis, 118

Chloris ciliata, 44
Chlorotylium cataractarum, 117
Cicuta mackenzieana, 52
Cladophora crispata, 118
Clarence Hinckley Knowlton, 157
Clarence R. Hanes, 272
Claytonia virginica, 318
Coccochloris elabens, 119; Peniocystis, 119; stagnina, 119
Cody, W. J., and Boivin, B., The

Cody, W. J., and Boivin, B., The Variations of Lilium canadense Linnaeus, 14

Coelopleurum lucidum, 247 Coleochaete scutata, 119 Collinsia verna, 307, 308; violacea, 307, 308

Comptonia peregrina, 127, 132 Convolvulus pilosellaefolius, 45 Corallorrhiza innata, 34 Cornus alternifolia, 247; florida, 39;

× unalaschkensis, 247 Correa da Serra and American Botany (Review), 45

Correction in the Names of Two Species of Heterokontae, A, 161 Corydalis flavula, 318

Corylus americana, 128, 132, f. missouriensis, 128; cornuta, 128, 130; heterophylla, 128

Crandall, D. L., Shortia galacifolia in Gray's Manual Range, 38 Cranichis tenuis, 290

Croasdale, H., A Correction in the Names of Two Species of Heterokontae, 161

Cronquist, A., Keck, D. D., and Maguire, B., Validity of Nuttall's Names in Fraser's Catalogue, 23

Cylindrocystis Brebissonii, 119; cylindrospora, 119

Cynosurus echinatus, 43 Cystopteris bulbifera, 79, 80, 81, 82, 84, 87; dickieana, 79, 321, 324; fragilis, 79, 80, 82, 87, var. fragilis, 79, 83, var. laurentiana, 79, var. mackayii, 79, 80, 82, 83, Plate 1224, 84, 85, 86, 87, var. protrusa, 79, 80, 81, 82, 83, Plate 1224, 84, 85, 86, 87, var. simulans, 79, 80, 85, var. tennesseensis, 79, 80; montana, 87 Cystopteris fragilis Complex, A Diploid Variety in the, 79

Cytotaxonomic Study of the Genus Hymenopappas (Compositae), A, 163, 208, 250, 295

Dalea enneandra, 287; laxifolia, 287, 288

Dieteria sessilifolia 282

Dentaria diphylla, 160; laciniata, 83, 160; multifida, 160

Dentaria multifida in Central Ohio, 160

Desmidium Swartzii, 119

DeWolf, G. P., Jr., Scientific Books, Libraries and Collectors (Review), 332

Dicentra cucullaria, 318

Dichanthium sericeum Plate 1226, 140

Dichothrix Orsiniana, 119

Dicliptera brachiata, 49

Dicranella heteromalla, 248; subulata, 248

Dicranum Bergeri, 248; Bonjeani, 248; Drummondii, 248; scoparium, 248

Digitaria sanguinalis, 37

Diploid Variety in the Cystopteris fragilis Complex, A, 79

Dodecatheon meadia, 318

Downing: A Bibliographic Note, Asa Gray and Andrew Jackson, 243

Draba reptans, 318

Draparnaldia plumosa, 117

Drepanocladus fluitans, 249; revolvens, 249

Drosera intermedia, 247; rotundifolia, 59

Drouet, F. and Habeeb, H., A Second List of Freshwater Algae Chiefly from New Brunswick, 117

Drury, W. H., Jr., The Ecology of the Natural Origin of a Species of Carex by Hybridization, 51

Dryopteris intermedia, 274; noveboracensis, 39; phegopteris, 321; spinulosa, 274

Dupree, A. H., Asa Gray and Andrew Jackson Downing: A Bibliographic Note, 243 Echinochloa muricata, 48, 331, 332; pungens, 48

Echinochloa muricata, Note on, 331 Echinochloa, Nomenclatural Change in the Grass Genus, 48

Ecology of the Natural Origin of a Species of Carex by Hybridization, The, 51

Eleocharis halophila, 246; palustris, 246; Smallii, 246

Eleventh Report of the Committee on Plant Distribution, 125

Elodea Correct without Being Conserved, 162

Elymus canadensis, 144, 145, 148; hirsutus, 144; innovatus, 279; mollis, 246; pendulosus, 144, 145, 146, 147, 148

Elymus from Alaska, A New, 144 Emery, W. H. P., Some Chromosome Numbers in the Genus Callirhoë (Malvaceae), 100

Entophysalis Brebissonii, 119; Lemaniae, 119; rivularis, 117, 119, f. papillosa, 119

Epidendrum cochleatum var. triandrum, 290; jamaicense, 290; oncidioides var. gravidum, 291; vincentinum, 291

Equisetum fluviatile, 59, 65 Eremosphaera viridis, 119 Erianthus strictus, 136

Erigonum flavum, 287 Eriophorum angustifolium, 65; Chamisonis, 65; spissum, 246

Chamissonis, 65; spissum, 246 Erskine, J. S., Additions to the Flora of St. Paul Island, Nova Scotia, 245

Eyrthronium americanum, 83, 310 Evers, R. A., Two Plants New to the Illinois Flora, 49

Ewan, J., Correa da Serra and American Botany (Review) 45; Humboldt and American Botany,

Fagus grandifolia, 39, 128; 130, f.
pubescens, 128, var. caroliniana,
128; sylvatica, 128; var. atropurpurea, 128
Fairbrothers, D. E., Nomencla-

tural Changes in the Grass Genus Echinochloa, 48

Fell, E. W., Notes on a New Hybrid Carex, 318

Festuca cristata, 96; elatior, 246; Gerardi, 95; splendens, 95

Ficus Carica, 129, 130 Fischerella ambigua, 119

Flora Caroliniana, The Binomials

of Helenium in Walter's, 311 Flora of Winnebago County, Illinois (Review), 273

Fontinalis novae-angliae, 249

Fraser's Catalogue, Nuttall Not the Author of, 281

Fraser's Catalogue, Validity of Nuttall's names in, 23

Froelichia gracilis, 35

Froelichia gracilis in Maryland, 35

Gaillardia aestivale, 315; aristata, 288; lanceolata, 314, 315; lutea, 314, 315; serotina, 315

Gaiser, L. O., and Zavitz, C. H., Notes on Triphora trianthophora in Ontario, 31

Galax aphylla, 40

Galium Brandegei, 52; tinctorium, 52; triflorum, 310

Genus Peteria (Leguminosae), The, 344

Gerardia auriculata, 88

Gleason, H. A., On Authors' Citations in Plant Names, 88

Gloeocapsa alpicola, 118; dimidiata, 118; limnetica, 118; membranina, 118; minuta, 118; turgida, 118 Gloeocystis confluens, 121; Grevillei, 121

Gloeotrichia Pisum, 119

Gomphosphaeria aponina, 119; lacustris, 119

Gongrosira Debaryana, 119

Goodman, G. J., A New Species of Streptanthus, 354

Goodyera repens var. ophioides,

Grass Genus Echinochloa, Nomenclatural Changes in the, 48 Graustein, J. E., Nuttall's Quarrel

with Pursh, 20 Gray, and Andrew Jackson Downing: A Bibliographic Note, Asa, 243

Gray's Manual Range, Shortia galacifolia in, 38

Grimmia maritima, 249

Grindelia squarrosa, 288

Growth Habits of Arabis perstellata, 292

Gypsophila porrigens, 44

Habeeb, H. and Drouet, F., A Second List of Freshwater Algae Chiefly from New Brunswick, 117

Habenaria blephariglottis, 247; Hookeri, 247; strictissima var.

odontopetala, 291

Hagenah, D. J. and Wagner, W. H., Jr., A Diploid Variety in the Cystopteris fragilis Complex, 79

Hanes, Clarence R., 272

Hanes, C. R., Viability of Seed of the Black Locust, 26

Hapalosiphon fontinalis, 119; pumilus, 119

Haplopappus ciliatus, 50

Harpanthus scutatus, 248

Hedyotis rosea, 331 Hedyotis rosea in Arkansas, 331 Helenium aestivale, Plate 1227, 312,

313, 315, 316; autumnale, 311, 312, 315, 316; 317; brevifolium, 316; flexuosum, 315, 316; nudiflorum, 315; Nuttallii, 312, 313; pinnatifidum, 312, 313; serotinum, 311, Plate 1227, 312, 313, 315, 316, 317; vernale Plate 1227, 312, 313, 314, 315, 316, 317

Helenium in Walter's Flora Caroliniana, The Binomials of, 311

Helianthemum salicifolium, 44 Helianthus doronicoides, 97, Plate 1225, 98, 99; × doronicoides, 99; giganteus, 98, 100; mollis, 97, 98, 99, 100; strumosus, 97; tomentosus, 97, 98; tuberosus, 97

Helianthus doronicoides, The Hybrid Origin of, 97

Hermann, F. J., Range Extensions in Northwestern Plants, 278

Herniaria cinerea, 44; hirsuta, 44

Heterokontae, A Correction in the Names of Two Species of, 161 Hevetia flexilis, 90

Hieracium aurantiacum, 247; canadense, 247

Hierochloe odorata, 246

Hill, A. F., Bean, R. C., and Knowlton, C. H., Eleventh Report of the Committee on Plant Distribution, 125

Hodgson, H. J., A New Elymus from Alaska, 144

Holly, Ilex glabra forma leucocarpa: A White-fruited, 25

Hordeum jubatum, 246

Hormotila mucigena, 119 Humboldt and American Botany,

Hyalotheca dissiliens, 119; mucosa,

Hybrid Origin of Helianthus doro-

nicoides, The, 97 Hydrangea arborescens, 39

Hydrurus foetidus, 119

Hylocomium splendens, 249

Hymenopappus anthemoides, 306; arenosus, 251, 252; artemisiaefolius, 175; 255, 259, 266, 267, 296, 302, 303, 305, 306, var. artemesiaefolius, 170, 182, 186, 210, 258, 298, 300, 302, 303, 304, 305, 306, var. riograndensis, 170, 182, 184, 186, 210, 298, 300, 303, 304, 305, 306; biennis, 180, 182, 183, 184, 186, 209, 212, 256, 257, 258, 259; canescens var. canotomentosus, 268; caroliniensis, 295; cinereus, 228; 235, 251; columbianus, corymbosus, 266, 296, 297, 300, var. nuttallii, 260; douglasii, 306; engelmannianus, 297; eriopoda, 225; eriopodus, 228; filifolius, 164, 165, 166, 175, 177, 180, 184, 185, 209, 211, 214, 217, 218, 220, 230, 239, 269, 306, var. cinereus, 168, 169, 170, 174, 186, 209, 211, 215, 217, 218, 221, 222, 223, 224, 225, 228, 231, 233, 236, 251, 252, 253, 261, 262, 269, var. eriopodus, 186, 215, 218, 225, 226, 227, 228, 242, var. filifolius, 168, 170, 174,

186, 215, 216, 218, 220, 227, 239, 240, var. idakoensis, 170, 186, 215, 218, 220, 222, 242, 250, var. lugens, 165, 168, 169, 170, 172, 174, 176, 186, 215, 218, 220, 221, 222, 228, 229, 230, 231, 232, 233, 234, 238, 241, 242, 252, 255, 269, var. luteus, 169, 171, 174, 186, 215, 218, 221, 222, 223, 224, 226, 228, 252, var. megacephalus, 186, 215, 218, 223, 225, 226, 227, 228, 229, 233, 238, 239, 252, var. nanus, 168, 169, 171, 174, 186, 215, 218, 219, 220, 222, 226, 227, 233, 240, 241, 242, 250, var. nudipes, 171, 186, 214, 217, 218, 219, 220, 221, 233, var. parvulus, 168, 171, 174, 186, 214, 216, 217, 218, 219, 220, 222, 252, var. pauciflorus, 171, 186, 215, 218, 220, 224, 225, 228, 238, 239, 252, var. polycephalus, 169, 171, 172, 186, 215, 218, 231, 235, 236, 240, 261, 262, var. tomentosus, 171, 186, 215, 218, 220, 225, 228, 233, 237, 238, 239; fisheri, 264; flavescens, 182, 259, 264, 266, 267, var. cano-tomentosus, 168, 171, 174, 182, 184, 186, 209, 258, 265, 266, 268, 269, 298, var. flavescens, 169, 171, 182, 186, 209, 264, 266, 268, 269, 298, 299; flavomarginatus, 182, 186, 209, 212, 257, 258, 259; glandulosus, 306; glaucus, 306; gloriosus, 230; integer, 254, 255; integrifolia, 306; laxiflorus, 295; ligulaeflorus, 306; lugens, 228, 230; luteus, 221, 230; macroglottis, 230; matricarioides, 306; mexicanus, 171, 182, 185, 186, 209, 212, 216, 254, 255; nanus, 240, 241; nelsoni, 306; nevadensis, 306; newberryi, 168, 171, 173, 179, 180, 182, 183, 186, 209, 210, 211, 212, 213, 214, 257; niveus, 237, 239; nudatus, 230; nudipes, 219, var. alpestris, 219, 221; obtusifolius, 254; ochroleucous, 228, 251, 252; palmeri, 306; parvulus, 216, 217; pauciflorus 224, 228; pedatus, 306; petaloideus, 254, 255; polycephalus, 235,

236; radiatus, 171, 180, 182, 186, 209, 211, 212, 213, 214, 255, 257; robustus, 268; scabiosaeus, 165, 186, 209, 255, 295, 296, 300, var. corymbosus, 168, 171. 173, 174, 182, 186, 210, 262, 265, 266, 296, 297, 298, 299, 300, 303, 304, 305, var. scabiosaeus, 182, 186, 210, 295, 296, 298, 299, 303; scaposus, 230; sulphureus, 297; tenuifolius, 168, 171, 174, 182, 184, 186, 209, 235, 236, 239, 258, 259, 260, 261, 262; tomentosus, 228, 237; wislizeni var. setiformis, 307; wrightii, 307, var. viscidulus, 307

Hymenopappus (Compositae), A Cytotaxonomic Study of the Genus, 163, 208, 250, 295

Hymenothrix palmeri, 166, 178; wislizenii, 178, 179; wrightii, 178 Hyparrhenia formosa, 137, Plate 1226, 139; hirta, 136, 137, Plate 1226, 139; rufa, 137, 138, Plate 1226, 139

Hypericum perforatum, 247 Hypnum pallescens, 249 Hypogynium spathiflorum, 139, 141; spathifolius, 137, Plate 1226 Hyssopus anethiodorus, 287

Identity of Calyptocarpus blepharolepis, The, 275

Ilex glabra, 25, f. leueocarpa, Plate 1222, 25

Ilex glabra forma leucocarpa: A White-fruited Holly, 25

Illegitimacy of Persoon's Species of Koeleria (Graminae), 93

Illinois, Flora of Winnebago County (Review), 273

Illinois Flora, Two Plants New to the, 49

Iris cristata, 40

Jackson, R. C., The Hybrid Origin of Helianthus doronicoides, 97 Juglans cinerea, 127, 132; nigra, 127, 133, 134

Juncus alpinus, 65; arcticus, 65; biglumis, 280; castaneus, 65; compressus, 279; hallii, 280; pelocarpus, 247; tracyi, 280, 281; vaseyi, 280

Juniperus communis var. depressa, 50; var. saxatilis, 50

Juniperus communis var. saxatilis from Mount Washington, 50

Kalmia latifolia, 39

Keck, D. D., Maguire, B. and Cronquist, A., Validity of Nuttall's Names in Fraser's Catalogue, 23

Knowlton, Clarence Hinckley, 157 Knowlton, C. H., Hill, A. F. and Bean, R. C., Eleventh Report of the Committee on Plant Distribution, 125

Koeleria ciliata, 96; cristata, 94, 95; Gerardi; 95; Gerrardi, 96; gracilis, 94; macrantha, 94; nitida, 94; pectinata, 95; phleoides 94, 95; pubescens, 96; pyramidata, 94; splendens, 95; tuberosa, 93, 95; valesiaca, 95; vallesiana, 94, 95; villosa, 96 Koeleria (Graminae), Illegitimacy of Persoon's Species of, 93

Lactuca biennis, 247

Lakela, O., A New Form of Nuphar microphyllum from Minnesota, 76; Rubus Chamaemorus in the Canadian Lakehead, 327

Lappula echinata, 247 Laportea canadensis, 82

Leavenworthia aurea, 73, 74, 75, 201; exigua, 74, 75; stylosa, 73, 74, 75

Leavenworthia aurea, The Problem of, 73

Ledum groenlandicum, 323 Lepanthopsis melanantha, 291 Lepidozia reptans, 248 Leptodictyum riparium, 249

Leptoloma cognatum, 318 Leptosira Mediciana, 117, 120

Lespedeza capitata, 274, var. longifolia, 274; hirta, 274; longifolia, 274

Lesquerella angustifolia, 199, 200, 201, 202; gracilis, 199, 206, 202;

longifolia, 199, 200, 201; filiformis, 201, 202

Lesquerella angustifolia, On the Identity of, 199

Leucampyx newberryi, 210

Lilium andinum, 286; canadense, 15, 16, 19, 20, f. canadense, 16, 17, f. flavum, 17, 19, f. michiganense, 16, 19, f. peramoenum, 16, f. rubrum, 16, 17, f. uniflorum, 16, var. canadense, 16, 17, var. editorum, 16, 17, var. flavum, 17, 19, var. luteum, 17, var. rubrum, 17, 19; ssp. canadense 16; ssp. editorum, 17; ssp. michiganense, 16, 17, f. peramoenum, 16, 18, f. uniflorum, 18; ssp. superbum, 16, 19; coccineum, 17; carolinianum, 19; catesbei, 19, 20; michauxii, 19; michiganense, 14, 15, 16, 17, 19, f. peramoenum, 18, f. umbelliferum, 17, f. uniflorum, 18, var. umbelliferum, 17; pardalinum var. Bourgaei, 17, 18; peramoenum, 18; penduliflorum, 16; pendulum, 16; philadelphicum, 19, 20; superbum, 14, 15, 19, var. carolinianum, 19

19, var. carolinianum, 19 Lilium canadense Linnaeus, The

Variations of, 14 Limonium leptostachyum, 45 Liparis Saundersiana, 291

Liriodendron Tulipifera, 39 Locust, Viability of Seed of the

Black, 26 Long, R. W. Jr., Dentaria multifida in Central Ohio, 160

Lophochloa cristata, 96 Lophozia grandiretis, 248

Luzula piperi, 281 Lycopodium complanatum var. flabelliforme, 246

Lygodium palmatum, 270 Lygodium palmatum vs. Urbaniza-

tion, 270 Lyngbya Diguetii, 120; versicolor, 120

Maclura pomifera, 129
Maguire, B., Cronquist, A. and
Keck, D. D., Validity of Nut-

tall's names in Fraser's Catalogue, 23

Maianthemum canadense, 310 Malva coccinea, 287

Mammillaria viviparus, 286

Manitoba, Additions and Extensions to the Flora of, 321

Maryland, Froelichia gracilis in, 35

Matricaria maritima, 247 Maxillaria rufescens, 291

Maycock, P. F., Tiarella cordifolia in Wisconsin, 309

Medeola virginiana, 40 Medicago apiculata, 5, 11, 310, var. confinis, 11; arabica, 2, 3, 6, 7; ciliaris, 2, 6, 9; cordata, 2; denticulata, 2, 3, 5, 11, var. brevispina, 11, var. ciliaris, 9, 310, var. lappacea, 8, var. macracantha, 8, var. vulgaris, 11, 310; falcata, 1; hirsuta, 4; hispida, 2, 3, 4, 5, 6, 7, 8, 11, 310, var. apiculata, 11, var. pentacycla, 6, 7, 8, f. longeaculeata, 7, var. polygyra, 9, f. aculeata, 9, f. inermis, 9, var. tricycla, 9, f. longispina, 9, f. microdon, 9, ssp. microcarpa, 10; laciniata, 3; lappacea, 8, var. macracantha, 8, var. pentacycla, 8, var. tricycla, 8; lupulina, 1, var. glandulosa, 2; maculata, 2; microdon, 9; minima, 1, 3, 4, 6, 7, f. mollissima, 4, f. pubescens, 4, f. viscida, 4, var. brachyodon, 4, var. compacta, 4, var. longiseta, 4, var. pubescens, 4, var. pulchella, 4, var. viscida, 4, var. vulgaris, 4; nigra, 8; obscura var. microdon, 9; orbicularis, 4; orbiculata, 5; pentacycla, 8; polycarpa, 5, var. tuberculata, 11, 310; polymorpha, 2, 3, 4, 5, 6, 7, 8, var. arabica, 2, var. ciliaris, 2, 6, 7, 8, 9, 10, 310, f. apiculata, 11, var. ciliaris f. ciliaris, 11, 12, f. tuberculata, 11, 12, var. coronata, 6, var. hirsuta, 4, var. laciniata, 3, var. minima, 3, 4, var. nigra, 6, 7, 8, var. orbicularis, 5, var. polygyra, 8, 9, 11, 12, var. polymorpha, 8, var. tricycla, 8,

var. vulgaris, 310, f. apiculata, 310, f. tuberculata, 310; praecox, 12; reticulata, 9, 11, 12; sardoa, 9, 11, 12; sativa, 1; tuberculata, 12

(Medicago) found wild in the United States, Authorship and Nomenclature of Bur Clovers, 1

Megalodonta Beckii, 77 Menyanthes trifoliata, 322

Meringosphaera Nemiahi, 161; sol, 161

Merismopoedia thermalis, 118

Mesotaenium macrococcum, 120; rubescens, 120

Mexican Cruciferae, Some New Primitive, 148

Michigan Records for Sarracenia purpurea forma heterophylla, Some, 203

Microcoleus rupicola, 120

Microspora amoena, 120

Minnesota, A New Form of Nuphar microphyllum from, 76

Miscanthus floridulus, 135; japonicus, 135

Mitella nuda, 310

Mnium hornum, 249; punctatum, 249

Monachino, J., Yonkers Wool Mill Plant Records, 43

Monotropa Hypopitys, 247

Moore, D. M., Neuviusia alabamensis in Arkansas, 187

Moore, J. E., Hedyotis rosea in Arkansas, 331

Morus alba, 192; rubra, 129, 133, 134

Mougeotia laetevirens, 120

Mount Washington, Juniperus communis var. saxatilis from, 50 Muhlenbergia glomerata, 278

Myrica Gale, 127, 130, 247, var. subglabra, 127, 130; pensylvanica, 127, 132

Narenga porphyrocoma, 136, 141 Neslia paniculata, 247

Netrium digitus, 120; interruptum, 120

Neviusia alabamensis, 177, 188, 189, 190

Neviusia alabamensis in Arkansas, 187

New Brunswick, A Second List of Freshwater Algae Chiefly from, 117

New Elymus from Alaska, A, 144 New Form of Nuphar microphyllum from Minnesota, A, 76

New Species of Streptanthus, A, 354 New York State, Asclepias syriaca var. kansana in, 197

Nitella flexilis, 120

Nomenclatural Change in the Grass Genus Echinochloa, 48

Nomenclature of Bur Clovers (Medicago) found wild in the United States, Authorship and, 1

Nostoc commune, 120; microscopicum, 120; microscopium, 120; pruniforme, 120; sphaericum, 120; verrucosum, 120

Note on Echinochloa muricata, 331 Notes on a New Hybrid Carex, 318

Notes on Collinsia violacea, 307 Notes on Triphora trianthophora in Ontario, 31

Notes on Utricularia biflora and U. fibrosa, 41

Nova Scotia, Additions to the Flora of St. Paul Island, 245 Nuphar microphyllum, 76, f. microphyllum, 76, f. multisepalum, 76, 78; rubrodiscum, 77; variegatum, 77

Nuphar microphyllum from Minnesota, A New Form of, 76

Nuttall Not the Author of Fraser's Catalogue, 281

Nuttall's names in Fraser's Catalogue, Validity of, 23

Nuttall's Quarrel with Pursh, 20 Nyssa sylvatica, 39

Oenothera alata, 284; biennis, 247; caespitosa, 287, 288; macrocarpa, 282, 284, 288; missouriensis, 284, 287, 288

Ohio, Dentaria multifida in Central, 160

On Authors' Citations in Plant Names, 88 Ontario, Notes on Triphora trianthophora in, 31

On the Identity of Lesquerella angustifolia, 199

Oocystis Borgei, 120; crassa, 120 Ophiocytium cochleare, 120; parvulum, 120

Oplismenus muricatus, 48, 332 Orchid Flora of Puerto Rico, Some Additions to the, 290

Oscillatoria amoena, 120; anguina, 120; articulata, 120; chlorina, 120; curviceps, 121; granulata, 121; irrigua, 121; limosa, 121; ornata, 121; princeps, 121; simplicissima, 121; splendida, 121; tenuis var. tergestina, 121

Ostrya virginiana, 128, 130, var. lasia, 128, 133

Oxalis violacea, 318 Oxytropis splendens, 323, 324

Pachystima Canbyi, 92
Palmella Myosurus, 119
Palmogloca protuberans, 121
Panderia pilosa, 45; turkestanica,

Panicum muricatum, 48, 332; pungens, 48; scribnerianum, 318

Penium margaritaceum, 121

Pennisetum ciliare, 44

Penstemon bradburyi, 23, 287, 288; grandiflorus, 23, 287, 288; pallidus, 318

Peteria glandulosa, 346, 347, 349, 352, 353; nevadensis, 345, 349; pinetorum, 346, 348, 349, 351; scoparia, 344, 345, 346, 349, 352, var. glandulosa, 345, 346, 353; Thompsonae, 344, 345, 346, 347, 349

Peteria (Leguminosae), The Genus, 344

Phalangium esculentum, 284, 287; Quamash, 284, 287

Phalaris pubescens, 96

Phellodendron japonicum, 43 Phormidium autumnale, 117; inundatum, i21; purpurascens, 117, 121; Retz-i, 121; Setchellianum, 117; uncinatum, 117; valderianum, 121 Picea engelmanni, 180; glauca, 52; mariana, 52, 246, 323

Pinus palustris, 25; ponderosa, 180; serotina, 25

Plagiothecium striatellum, 249

Plastic, Availability of Ingredients for, 72

Plectonema Nostocorum, 121; Tomasinianum, 121

Pleurothallis Ghiesbreghtiana, 291

Pleurotaenium trabecula, 121 Pleurozium Schreberi, 249

Poa annua, 246; cristata, 94; palustris, 246; pectinata, 94, 95; pyramidata, 94; vallesiana, 95

Podophyllum peltatum, 83 Pogonia ophioglossoides, 32; pendula, 33, 34; trianthophora, 31

Pohl, R. W., Andropogon praematurus, a Fungus-induced Monstrosity, 326

Pohlia nutans, 249

Polycnemum arvense, 44; majus,

Polygonum perfoliatum, 43

Polemonium delicatum, 113, 114; occidentale, 113; pulcherrimum, 113; reptans, 103, 104, 112, 113, 114, 115, var. reptans, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, var. villosum, 103, 104, 105, 106, 107, 108, 110, 111, 112, 113, 114, 115; Van Bruntiae, 113

Polemonium reptans, Variation in,

Polypteris integrifolia, 276

Polystachya foliosa, 291

Polystichum acrostichoides, 39 Polytrichum gracile, 249; juni-

perinum, 249

Populus alba, 125, 130; balsamifera, 51, 125, 131, var. subcordata, 125; canescens, 125; deltoides, 125, 133, 134, var. missouriensis, 125; × gileadensis, 125; grandidentata, 125, 130; heterophylla, 125, 133, 134; nigra var. italica, 125, 130; tremuloides, 125, 130, f. pendula, 125, f. reniformis, 125, var. magnifica, 125, 131

Porter, C. L., The Genus Peteria (Leguminosae), 344

Potamogeton alpinus var. tenuifolius, 321; confervoides, 246; natans, 77; robbinsii, 321

Potentilla arguta, 323, 324; palustris, 59; pensylvanica var. pensylvanica, 323, 324

Problem of Leavenworthia aurea, The, 73

Prunus americana, 330, var. lanata, 330, var. mollis, 330; lanata, 330; mexicana, 331; mollis, 330; nigra, 330; serotina subsp. hirsuta, 115, subsp. serotina, 115; umbellata, 330; virginiana, 247, 318

Prunus americana var. lanata a Synonym of P. nigra, 330

Pseudotsuga taxifolia, 180 Puerto Rico, Some Additions to

the Orchid Flora of, 290 Pursh, Nuttall's Quarrel with, 20 Pyrus americana, 247; decora, 247

Quercus alba, 128, 132, 318, f. latiloba, 128, f. repanda, 129; × Bebbiana, 129; bicolor, 129, 132; coccinea, 129, 132; falcata var. pagodaefolia, 130; × Faxoni, 129; × Fernowi, 129; ilicifolia, 129, 132; imbricaria, 129; × Leana, 129; macrocarpa, 129, 133, 318, f. olivaeformis, 129; Muehlenbergii, 129, 133, f. Alexanderi, 129; palustris, 129, 133; × Porteri, 129; prinoides, 129, 132, var. rufescens, 129, 133; Prinus, 93, 129, 133; × Rehderi, 129; × Robbinsii, 129; Robur, 129; rubra, 93, 129, 132, var. borealis, 129, 131; X Saulii, 129; stellata, 129, 133, var. Margaretta, 129, 133; stelloides, 129; velutina, 129, 132, 318, f. dilaniata, 129, f. macrophylla,

Radiosphaera Nemiahi, 161; sol, 161

129, f. pagodaeformis, 129

Range Extensions in Northwestern Plants, 278 Ranunculus repens, 65

Ratibida columnaris, 287; columnifera, 287

Reappraisal of Two Plumose Rhynchosporas of the Southeastern United States, 335

Reeder, J. R., Note on Echinochloa muricata, 331

Rhizoclonium hieroglyphicum, 117, 121; riparium, 122

Rhus radicans, 82

Rhynchospora breviseta, 336, 337, 338, 339, 340, 342, 343; diadon, 336, 343; intermedia, 335, 342, 343; lunata, 336; oligantha, 335, 336, 337, 338, 339, 340, 342, 343, var. breviseta, 335, 336; plumosa, 335, 342; rariflora, 343

Rhytidiadelphus squarrosus, 249
Ritchie, J. C., Additions and
Extensions to the Flora of Manitoba, 321

Rivularia haematites, 117, 122; minutula, 122; rufescens, 117, 122

Robinia Pseudo-Acacia, 26

Rock, H. F. L., The Binomials of Helenium in Walter's Flora Caroliniana, 311

Rollins, R. C., Availability of Ingredients for Plastic, 72; On the Identity of Lesquerella angustifolia, 199; The Problem of Leavenworthia aurea, 73; Some New Primitive Mexican Cruciferae, 148

Romanschulzia alpina, 156; apetala, 149, 155, 156; arabiformis, 154; elata, 151; Meyeri, 149, 150, 151; schistacea, 152, 154, 155; subclavata, 152, 153; turritoides, 151

Rorippa islandica, 65

Rothia artemisiaefolia, 302; caroliniensis, 165, 295; corymbosa, 297; degenerica, 307; filifolia, 214; flavescens, 264; intermedia, 307; mexicana, 254; pinnata, 307; pusilla, 307; tenuifolius, 260 Rubus acaulia, 322; Chamaemorus, 323, 327, 329; florenceae, 272; hanesii, 272; kalamazoensis, 272; schoolcraftianus, 272

Rubus Chamaemorus in the Canadian Lakehead, 327

Rudbeckia purpurea var. serotina, 286

Rumex domesticus, 247; occidentalis, 65

Salix alba, 125, 130, var. calva, 125, var. vitellina, 125; alba × fragilis, 125; amygdaloides, 125, 133, 134; arbusculoides, 323; arctophila, 125, 131, 132; argyrocarpa, 125, 131, 132; athabascensis, 323; babylonica, 126; Bebbiana, 126, 130, 247, var. capreifolia, 126; Bebbiana × discolor, 126; Bebbiana × gracilis, 126; Bebbiana × rigida, 126; candida, 126, 133, f. denudata, 126; candida × Bebbiana, 126; candida × gracilis, 126; candida × rigida, 126; Caprea, 126; cinerea, 126; cinerea × rigida, 126; coactilis, 126, 131; cordata, 126, var. abrasa, 126; discolor, 126, 130, var. latifolia, 126, var. Overi, 126; discolor × humilis, 126; fragilis, 126, 130; glaucophylloides, 126, 133, f. lasioclada, 126; gracilis, 126, 131, var. textoris, 126, 131, 323; gracilis × humilis var. microphylla, 126; gracilis × sericea, 126; gracilis × Grayi, 126; hebecarpa, 323; herbacea, 126, 131, 132; humilis, 126, 130, f. curtifolia, 126, f. festiva, 126, f. tortifolia, 126, var. hyporhysa, 126, 133, var. keweenawensis, 126, var. microphylla, 126, 133; humilis × gracilis, 126; humilis × sericea, 126; humilis × humilis var. microphylla, 125; incana, 126; interior, 126, 133, 134, f. Wheeleri, 126, var. exterior, 126, 133, 134; × Jesupi, 126; lucida, 126, 130, var. angustifolia, 126, 131, var. intonsa, 126, 131; myrtillifolia, 323; × myricoides, 126, nigra,

126, 132; × Peasei, 126; pedicellaris, 127, 131, var. hypoclauca, 127, 131, 322, var. tenuescens, 127; pellita, 127, 131, f. psila, 127; pentandra, 127, 130; petiolaris, 131; planifolia, 127, 131, 132; pseudocordata, 322; purpurea, 127; pyrifolia, 127, 131; pyrifolia × discolor, 127; rigida, 127, 130, f. mollis, 127, var. angustata, 127, 131; rigida X discolor, 127; rigida × gracilis, 127; rigida × lucida, 127; rigida, × pedicellaris, 127; rigida × subsericea, 127; sericea, 127, 130; serissima, 127, 133; × Smithiana, 127; × subsericea, 127; Uva-ursi, 127, 131, 132, f. lasiophylla, 127; viminalis, 127

Sanicula marylandica, 247

Sanvitalia ocymoides, 275, 276, 277, 278; tragiaefolia, 275

Sarracenia heterophylla, 203; purpurea, 203, 204, 205, f. heterophylla, 203, 204, 205, 206, 207 Sarracenia purpurea f. hetero-

phylla, Some Michigan Records for, 203

Saururus cernuus, 125, 130, 133 Scapania irrigua, 248

Scenedesmus bijuga, 122

Schizachne purpuraseens, 322, 324 Schizochlamys aurantia, 122; gelatinosa, 122

Schizothrix arenaria, 122; calcicola, 122; Dailyi, 122; lacustris, 122; Lamyi, 122; lardacea, 122; lateritia, 122; mellea, 122; Muelleri, 122; purpurascens, 122

Schweinfurth, C., and Winters, H. F., Some Additions to the Orchid Flora of Puerto Rico, 290 Scientific Books, Libraries and

Collectors (Review), 332

Scilla esculenta, 284, 287; Peruviana, 2

Scirpus acutus, 44; lacustris, 44, var. Tabernaemontani, 44; microcarpus, 65; mucronatus, 43; Tabernaemontani, 43; validus, 44 Scytonema figuratum, 122; densum, 122; mirabile, 122; tolypotrichoides, 122

Second List of Freshwater Algae Chiefly from New Brunswick, A, 117

Setaria Faberii, 43; muricata, 48, 331

Setiscapella cleistogama, 90

Shinners, L. H., Authorship and Nomenclature of Bur Clovers (Medicago) found wild in the United States, 1; Elodea Correct without Being Conserved, 162; Illegitimacy of Persoon's Species of Koeleria, 93; Medicago polymorpha var. vulgaris, 310; Nuttall Not the Author of Fraser's Catalogue, 281; Prunus Americana var. lanata a Synonym of P. nigra, 330

Shortia galacifolia, 38

Shortia galacifolia in Gray's Manual Range, 38

Silene virginica, 27

Silene virginica in the Gulf States, 27

Sisymbrium alpinum, 156; Standleyi, 156

Smilacina trifolia, 247

Smith, J. F., Lygodium palmatum vs. Urbanization, 270

Some Additions to the Orchid Flora of Puerto Rico, 290

Some Chromosome Numbers in the Genus Callirhoë (Malvaceae), 100

Some Michigan Records for Sarracenia purpurea forma heterphylla, 203

Some New Primitive Mexican Cruciferae, 148

Sonchus arvensis, 247; asper, 247

Sophora sericea, 281, 289

Sorghum brevicallosum, 136; dimidiatum, 136; intrans, 136, Plate 1226; matarankense, 136; purpureo-sericeum, 136; nitidum, 136; stipoidum, 136; versicolor, 136; vulgare, 140

Sphaeralcea coccinea, 287

Sphaerella lacustris, 122 Sphagnum Ångströmii, 52, 59; balticum, 59, 63, 64; capillaceum var. tenellum, 249; centrale, 249; compactum, 249; cuspidatum, 249; Dusenii, 59, 63; fimbriatum, 52, 249; fuscum, 59, 63, 249, 323; Girgensohnii, 249; imbricatum, 249; Lindbergii, 59, 64, 249; magellanicum, 249; papillosum, 59, 63, 249; plumulosum, 52; pulchrum, 59; recurvum, 52, 59, 249; riparium, 52, 59, 249; robustum, 52; squarrosum, 249; teres, 52, 59; Warnstorfi, 249; warnstorfianum, 322, 323

Spirogyra catenaeformis, 122; communis, 123; condensata, 123; crassa, 123; dubia, 123; fluviatilis, 123; gracilis, 123; Grevilleana, 117, 123; Hantzschii, 123; inflata, 123; Juergensii, 123; longata, 123; maxima, 123; majuscula, 123; neglecta, 123; orthospira, 123; Weberi, 123

Stanleya pinnata, 149

Staurastrum Habeebense, 117 Steele, F. L., Juniperus communis var. saxatilis from Mount Wash-

ington, 50

Stelis pygmaea, 291

Steyermark, J. A., and Swink, F. A., Asclepias syriaca var. kansana in New York State, 197

Steyermark, J. A., Flora of Winnebago County, Illinois (Review), 273

Stiburus alopecuroides, 96

Stigonema mamillosum, 123; panniforme, 123

Streptanthus, A New Species of, 354

Streptanthus maculatus, 355; squamiformis, 354

Streptopus roseus, 310

Swink, F. A., and Steyermark, J. A., Asclepias syriaca var. kansana in New York State, 197 Symploca dubia, 123; muralis, 123

Tetraedron minimum, 124

Tetraphis pellucida, 249
Tetraspora gelatinosa, 117
Teucrium charidemi, 92
Thalictrum dasyearpum, 82
Thermopsis rhombifolia, 281
Thismia americana, 45
Thuraria herbacea, 288
Tiarella cordifolia, 309, 310
Tiarella cordifolia in Wisconsin, 309
Tolypothrix distorta, 124; lanata, 124; penicillata, 117, 124; tenius, 124
Tomanthera auriculata, 88, 89

Tomanthera auriculata, 88, 89 Tribonema bombycinum, 124, f. tenue, 124 Trientalis borealis, 310

Trifolium monanthum, 281 Triglochin palustre, 65

Triphora pendula, 34; trianthophora, 31, 33, 34

Triphora trianthophora in Ontario, Notes on, 31

Turner, B. L., A Cytotaxonomic Study of the Genus Hymenopappas (Compositae), 163, 208, 250, 295

Two Plants New to the Illinois Flora, 49

Ulmus americana, 91, 129, 131, f. alba, 129, f. intercedens, 129, f. laevior, 129, f. pendula, 129; glabra, 129; procera, 129; rubra, 129, 132; Thomasi, 129, 133

Ulota crispa, 249; phyllantha, 249 Ulothrix implexa, 124

United States, Authorship and Nomenclature of Bur Clovers (Medicago) found wild in the, 1 United States, Reappraisal of Two

Plumose Rhynchosporas of the Southeastern, 335

Utricularia biflora, 41, 42, 43; fibrosa, 42, 43; subulata var. cleistogama, 90

Utricularia biflora and U. fibrosa, Notes on, 41

Uttal, L. J., Notes on Utricularia biflora and U. fibrosa, 41

Vaccinium Oxycoccus, 59, 322; uliginosum, 59 Validity of Nuttall's names in Fraser's Catalogue, 23

Vanilla barbellata, 291; Dilloniana, 291

Variation in Polemonium reptans, 103

Variations of Lilium canadense Linnaeus, The, 14

Vaucheria aversa, 124; geminata var. racemosa, 124

Veronica biloba, 44; campylopoda,

Vernonia illinoensis, 229

Viability of Seed of the Black Locust, 26

Vicia Benghalensis, 2; Cracca, 247 Virgilia grandiflora, 288

Vitis campestris, 286; riparia, 286; vulpina, 286

Voss, E. G. and Wilson, J. S., Clarence R. Hanes, 272

 Wagner, W. H. Jr., and Hagenah,
 D. J., A Diploid Variety in the Cystopteris fragilis Complex, 79
 Walter's Flora Caroliniana, The

Binomials of Helenium in, 311 Warea amplexifolia, 149

Wilson, J. S. and Voss, E. G., Clarence R. Hanes, 272

Winterringer, G. S., Notes on Collinsia violacea, 308

Winters, H. F. and Schweinfurth, C., Some Additions to the Orchid Flora of Puerto Rico, 290 Wisconsin, Tiarella cordifolia in, 309 Woods, F. W., Ilex glabra forma leucocarpa: AWhite-Fruited Holly 25 Woodsia alpina, 321, 324

Yonkers Wool Mill Plant Records, 43

Yucca angustifolia, 287; glauca, 287

Zavitz, C. H. and Gaiser, L. O., Notes on Triphora trianthophora in Ontario, 31

Zizania aquatica, 76

Zygnema cyanosporum, 124; decussatum, 124; insigne, 124; pectinatum, 124

Zygogonium ericetorum, 124

